



GlassWhiteboard.com  
2451 United Lane  
Elk Grove Village, IL 60007  
Toll Free (877) 793-1011  
Fax (630) 595-7986  
Website [www.glasswhiteboard.com](http://www.glasswhiteboard.com)  
E-mail [info@glasswhiteboard.com](mailto:info@glasswhiteboard.com)

January 2023

## Product Guide Specification

Specifier Notes: This product guide specification is written according to the Construction Specifications Institute (CSI) 3-Part Format, including *MasterFormat*, *SectionFormat*, and *PageFormat*, as described in *The Project Resource Manual—CSI Manual of Practice, Fifth Edition*.

This section must be carefully reviewed and edited by the Architect to meet the requirements of the project and local building code. Coordinate this section with other specification sections and the Drawings. Delete all “Specifier Notes” after editing this section.

Section numbers are from *MasterFormat 1995 Edition*, with section numbers from *MasterFormat 2004 Edition* in parentheses. Delete version not required.

### SECTION 10115 (10 11 16.13) FIXED MARKERBOARDS

Specifier Notes: This section covers Glass Whiteboard.Com “Foreverwhite” Glass Whiteboard® fixed, magnetic, glass, dry-erase markerboards. Consult Glass Whiteboard.Com for assistance in editing this section for the specific application.

#### PART 1 GENERAL

##### 1.1 SECTION INCLUDES

A. Fixed, magnetic, glass, dry-erase markerboards.

##### 1.2 SUBMITTALS

Specifier Notes: Edit submittal requirements as required. Delete submittals not required.

A. Comply with Section 01330 (01 33 00) – Submittal Procedures.

B. Product Data: Submit manufacturer’s product data, including installation instructions.

Specifier Notes: Delete samples if not required.

- C. Samples: Submit manufacturer's sample of markerboards, minimum 8 inches by 12 inches.
- D. Manufacturer's Certification: Submit manufacturer's certification that materials comply with specified requirements and are suitable for intended application.
- E. Cleaning Instructions: Submit manufacturer's cleaning instructions.
- F. Warranty Documentation: Submit manufacturer's standard warranty.

### 1.3 DELIVERY, STORAGE, AND HANDLING

- A. Delivery and Acceptance Requirements: Deliver materials to site in manufacturer's original, unopened containers and packaging, with labels clearly identifying product name and manufacturer.
- B. Storage and Handling Requirements:
  - 1 Store and handle materials in accordance with manufacturer's instructions.
  - 2 Keep materials in manufacturer's original, unopened containers and packaging until installation.
  - 3 Store materials in clean, dry area indoors.
  - 4 Protect materials during storage, handling, and installation to prevent damage.

### 1.4 WARRANTY

- A. Warranty Period: Lifetime surface warranty.

## PART 2 PRODUCTS

### 2.1 MANUFACTURER

- A. Glass Whiteboard.Com, 2451 United Lane, Elk Grove Village, Illinois 60007.

(877) 793-1011. Fax (630) 595-7986.

Website [www.glasswhiteboard.com](http://www.glasswhiteboard.com).

E-mail [info@glasswhiteboard.com](mailto:info@glasswhiteboard.com)

### 2.2 FIXED MARKERBOARDS

- A. Fixed, Magnetic, Glass, Dry-Erase Markerboards: "Foreverwhite" Glass Whiteboard.

**\*\*Specifier Notes: Specify markerboard *size* and *series*\*\***

1. Sizes and weights

30 inches by 42 inches (weight 34 pounds)

42 inches by 42 inches (weight 47 pounds)

48 inches by 48 inches (weight 61 pounds)

42 inches by 60 inches (weight 67 pounds)

48 inches by 60 inches (weight 76 pounds)

42 inches by 72 inches (weight 80 pounds)

48 inches by 72 inches (weight 92 pounds)

42 inches by 84 inches (weight 94 pounds)

48 inches by 84 inches (weight 107 pounds)

42 inches by 96 inches (weight 108 pounds)

48 inches by 96 inches (weight 122 pounds)

48 inches by 120 inches (weight 153 pounds)

2. Steel laminated to glass.

3. Components (back to front):

a. Steel: 0.024-inch-thick steel plate.

b. Adhesive: Acrylic adhesive sheet.

c. Coating: White enamel baked-on coating.

d. Glass: 6-mm-thick, tempered, low-iron glass

with **1-inch bevel edges and radius corners.** ( “Executive Series” ) or

with **High flat polished edges and square corners.** ( “Professional Series” )

**Please specify either frameless float® or edge-grip stand-off installation application**

4. Surface: Does not absorb inks or stains, eliminates ghosting.

5. Shop fabricated. **( NO SUBSTITUTIONS )**

## **2.3 ACCESSORIES**

Specifier Notes: A company name or logo can be engraved across the top or in the lower-right-hand corner of the markerboards. Consult Glass Whiteboard.Com for more information.

The following accessories are included with each markerboard.

- A. Set of 4 dry-erase marker pens (black, red, blue, and green) and eraser with magnetic organizer.
- B. Magnet Indicators: Four, round, Custom Glass Memo Magnets.
- C. Markerboard Cleaner: glass cleaner.
- D. Mounting Hardware:
  - 1 Edge Grips: Four, Six, or Eight round, brushed stainless steel.
  - 2 3/16-inch toggle bolts.

## **PART 3 EXECUTION**

### **3.1 EXAMINATION**

- A. Examine walls to receive markerboards.
- B. Notify Architect of conditions that would adversely affect installation or subsequent use.
- C. Do not begin installation until unacceptable conditions are corrected.

### **3.2 INSTALLATION**

- A. Install markerboards in accordance with manufacturer's instructions at locations indicated on the Drawings.
- B. Install markerboards plumb, level, and square.
- C. Mount markerboards securely in place to supports using mounting hardware supplied by markerboard manufacturer.

### **3.3 CLEANING**

- A. Clean markerboards promptly after installation in accordance with manufacturer's instructions.
- B. Do not use harsh cleaning materials or methods that could damage surface.

## **4 PROTECTION**

- A. Protect installed markerboards from damage during construction.

**END OF SECTION**